



APPROVAL OF MANUFACTURER CERTIFICATE

Certificate no.:
AMMM00000JA
Revision No:
3

This is to certify:

that

SSK von Schaewen Hückeswagen GmbH
Stahlschmidtsbrücke 20, 42499 Hückeswagen,
Germany

is an approved manufacturer of
Steel Forgings

in accordance with

DNV rules for classification – Ships
DNV rules for classification – Naval vessels

and the following particulars:

Application area	Forgings for hull structures and equipment Forgings for shafting and machinery Special materials for naval ships
Steel type	Carbon and carbon-manganese, Alloy Ferritic-austenitic (duplex) stainless Non magnetizable steels
Forging method	Open die forging
Max. weight	See page 2 ff.
Max. thickness	See page 2 ff.
Heat treatment condition	See page 2 ff.

Manufacturer(s) approved by this certificate is/are accepted to deliver according to DNV GL, DNV and GL rules. Materials to be applied to DNV classed object shall fulfill the material requirements in the applicable DNV class rules.

Issued at **Hamburg** on **2025-10-23**

This Certificate is valid until **2028-06-30**.

DNV local unit: **Essen**

Approval Engineer: **Torben Schälicke**



for **DNV**

This document has been digitally signed and will
therefore not have handwritten signature

Stefan Röhr

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to USD 300 000.

Particulars of the approval

Forgings for hull structures and equipment

Steel type	Grade ³⁾	Forging method ¹⁾	Max. weight [kg]	Max. thickness [mm]	Heat treatment condition ²⁾
C and C-Mn	NV F400UW, NV F440UW, NV F480UW, NV F520UW, NV F560UW, NV F600UW	OD	20 000	1 500	N, NT, QT
Alloy	NV F550AW, NV F600AW, NV F650AW	OD	20 000	1 500	QT

Forgings for shafting and machinery

Steel type	Grade ³⁾	Forging method ¹⁾	Max. weight [kg]	Max. thickness [mm]	Heat treatment condition ²⁾
C and C-Mn	NV F400U, NV F440U, NV F480U, NV F520U, NV F560U, NV F600U, NV F640U, NV F680U, NV F720U, NV F760U	OD	20 000	1 500	N, NT, QT
Alloy	NV F600A, NV F700A, NV F800A, NV F900A, NV F1000A, NV F1100A	OD	20 000	1 500	QT

Stainless steel forgings

Steel type / grade ⁵⁾	Forging method ¹⁾	Max. weight [kg]	Max. thickness [mm]	Heat treatment condition ²⁾
1.4462 acc. to EN 10250-4, 1.4462 acc. to EN 10222-5	OD	20 000	1 500	SHT

Steels acc. other standards

Grade	Forging method ¹⁾	Max. weight [kg]	Max. thickness [mm]	Heat treatment condition ²⁾
C & C-Mn steels acc. to EN 10083-2	OD	20 000	1 500	acc. to standard
C & C-Mn steels acc. to EN 10250-2	OD	20 000	1 500	acc. to standard
Alloy steels acc. to EN 10083-3	OD	20 000	1 500	acc. to standard
Alloy steels acc. to EN 10250 -3	OD	20 000	1 500	acc. to standard

Non magnetizable steels

Grade	Forging method ¹⁾	Max. weight [kg]	Max. thickness [mm]	Heat treatment condition ²⁾
1.3964 acc. to SEW390 and VG81237 (WL1.3964)	OD	3 000	400	SHT

Remarks:

- 1) OD: Open die forging
- 2) QT: Quenched and tempered; N: Normalized; NT: Normalized and tempered; SHT: Solution Heat Treated (Solution Annealing)
- 3) Incl. equivalent grades in acc. to other standards